



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/072,364	02/06/2002	Emek Sadot	3655/0138PUS1	2558
47827	7590	07/08/2009		
MG-IP Law, PLLC PO BOX 1364 FAIRFAX, VA 22038-1364				
EXAMINER				
ANYA, CHARLES E				
ART UNIT		PAPER NUMBER		
2194				
MAIL DATE		DELIVERY MODE		
07/08/2009		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/072,364

Applicant(s)

SADOT, EMEK

Examiner

CHARLES E. ANYA

Art Unit

2194

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3/MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 March 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-54 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-54 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SI/02)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

1. Claims 1-54 are pending in this application.

In view of the Appeal Brief filed on 3/25/09, PROSECUTION IS HEREBY REOPENED. A new ground of rejection is set forth below.

To avoid abandonment of the application, appellant must exercise one of the following two options:

(1) file a reply under 37 CFR 1.111 (if this Office action is non-final) or a reply under 37 CFR 1.113 (if this Office action is final); or,

(2) initiate a new appeal by filing a notice of appeal under 37 CFR 41.31 followed by an appeal brief under 37 CFR 41.37. The previously paid notice of appeal fee and appeal brief fee can be applied to the new appeal. If, however, the appeal fees set forth in 37 CFR 41.20 have been increased since they were previously paid, then appellant must pay the difference between the increased fees and the amount previously paid.

Claim Objections

2. **Claims 37-40 are objected to because of the following informalities:**

Claim 37 seems to include typographical error. Specifically, "said one or more parameters" on line 9 may have been used in error.

For the purpose of this office action the Examiner would replace "said one or more parameters" with "one or more parameters".

3. Claims 38-40 are objected to for the same reason as claim 37 above.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. **Claims 1-4, 6-9, 11, 15, 17, 24-29 and 32-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,182,139 B1 to Brendel in view of U.S. Pat. No. 6,185,619 B1 issued to Joffe et al.**

5. As to claim 1, Brendel teaches a method of selecting a server to represent a virtual server hosted by a plurality of servers, comprising:

providing, by a load balancer not associated with the virtual server ("...Client-Side Load Balancer..." Col. 4 Ln. 63 – 67, Col. 5 Ln. 1 – 35, Ln. 55 – 64, Col. 6 Ln. 34 – 40, "...client-side dispatcher..." Col. 11 Ln. 1 – 18), values for one or more parameters ("...round trip time, or "latency"..." Col. 11 Ln. 14 – 18); and

selecting a server to provide data for the client, responsive to the values of the one or more parameters ("...(measure the round trip time, or "latency") to the intended servers and choose the fastest responding server..." Col. 11 Ln. 14 – 18), wherein the load balancer comprises a client-controlled load balancer that directly selects said one

of the plurality of servers representing the virtual server based on said one or more parameters ("...load-balancer module in the client machine...make a server assignment..." Col. 5 Ln. 1 – 20, Ln. 55 – 56, "...client-side dispatcher...round trip time, or "latency"..." Col. 11 Ln. 1 – 18).

Brendel is silent with reference to providing, by a load balancer, values for one or more parameters, of two or more paths, each path defined between a point in a vicinity of a client accessing the virtual server and one of the plurality of servers representing the virtual server.

Joffe teaches providing, by a load balancer, values for one or more parameters, of two or more paths, each path defined between a point in a vicinity of a client accessing the virtual server and one of the plurality of servers representing the virtual server ("...round trip values for paths..." Col. 13 Ln. 1 – 31, "...a sequence of values representative of the round trip time to-and-from every client site..." Col. 15 Ln. 9 – 60, Col. 16 Ln. 1 – 21).

It would have been obvious to one of ordinary skill in the art the time the invention was made to modify the system of Brendel with the teaching of Joffe because the teaching of Joffe would improve the system of Brendel by providing a technique for dynamically selecting appropriate server from which to retrieve data object for a user based upon the user's request, and the capabilities and topology of the underlying network (Joffe Col. 3 Ln. 37 – 40).

6. As to claim 2, Brendel teaches a method according to claim 1, wherein the load balancer and the client are in the same metropolitan area (“...Client-Side Load Balancer...” Col. 4 Ln. 63 – 67, Col. 5 Ln. 1 – 35, Ln. 55 – 64, Col. 6 Ln. 34 –40, “...client-side dispatcher...” Col. 11 Ln. 1 – 18).

7. As to claim 3, Brendel teaches a method according to claim 1, wherein the load balancer and the client are in the same local area network (“...Client-Side Load Balancer...” Col. 4 Ln. 63 – 67, Col. 5 Ln. 1 – 35, Ln. 55 – 64, Col. 6 Ln. 34 –40, “...client-side dispatcher...” Col. 11 Ln. 1 – 18).

8. As to claim 4, Brendel teaches a method according to claim 1, wherein the one or more parameters comprise at least one of a jitter, a round trip delay or a hop count (“...round trip time, or “latency”...” Col. 11 Ln. 14 – 18).

9. As to claim 6, Brendel teaches a method according to claim 1, wherein selecting the server comprises selecting, by a client-controlled load balancer, responsive to receiving identification of a virtual server requested by the client (“...URL...” Col. 5 Ln. 1 – 35).

10. As to claim 7, Brendel teaches a method according to claim 6, wherein selecting the server comprises selecting, by a client-controlled load balancer, responsive to

receiving a connection establishment request from the client ("...connection..." Col. 5 Ln. 1 – 35).

11. As to claim 8, Brendel teaches a method according to claim 6, wherein providing the values for the one or more parameters comprises measuring at least one of the parameters ("...(measure the round trip time, or "latency") to the intended servers and choose the fastest responding server..." Col. 11 Ln. 14 – 18).

12. As to claim 9, Joffe teaches a method according to claim 8, wherein measuring at least one of the parameters, for at least one of the paths, is performed before receiving the connection establishment request ("...Collector Components..." Col. 11 Ln. 57 – 67, Col. 12 LN. 1 – 7, Col. 13 Ln. 1 – 27: NOTE: The collector components periodically collect and store the parameters, then later provide it to the Director (load balancer) when a client makes a request/connection).

13. As to claim 11, Brendel teaches a method according to claim 1, further comprising changing the destination IP address of packets received by the load balancer from the client, to an IP address of the selected server Address Translation Table 32/34 Col. 6 Ln. 40 – 48, Col. 11 Ln. 56 – 67).

14. As to claim 15, Brendel teaches a method according to claim 1, wherein one of the plurality of servers are located in different geographical regions (figure 3 Assigned Server 52 Col. 6 Ln. 17 – 18).

15. As to claim 17, Brendel teaches a method according to claim 1, wherein the virtual server hosts a web site (“...web farm...” Col. 15 Ln. 41 – 53).

16. As to claim 24, Brendel teaches a method of selecting a server to be accessed, comprising:

receiving, by a load balancer, a message relating to a virtual server, hosted by a plurality of servers, and to a client desiring to receive data from the virtual server (“...the browser sends out the URL with the requested resource...” Col. 5 Ln. 1 – 20); and

selecting, by the load balancer, one of the plurality of servers to provide data to the client based on one or more parameters (“...make a server assignment...” Col. 5 Ln. 1 – 20, “...(measure the round trip time or “latency”) to the intended servers and choose the fastest responding server...” Col. 11 Ln. 14 – 18), wherein the load balancer being closer to the client than to the selected server (“...load balancer can be moved below the client’s network stack...” Col. 4 Ln. 63 – 67, “...client-side dispatcher in the client machine...” Col. 5 Ln. 55 – 56, Col. 6 Ln. 34 – 36), and wherein the load balancer comprises a client-controlled load balancer that directly selects said one of the plurality of servers representing the virtual server (“...load-balancer module in the client machine...make a server assignment...” Col. 5 Ln. 1 – 20, Ln. 55 – 56).

Brendel does not explicitly teach selecting, by the load balancer, one of the plurality of servers to provide data to the client based on one or more parameters related to a path to the client.

Joffe teaches selecting, by the load balancer, one of the plurality of servers to provide data to the client based on one or more parameters related to a path to the client ("...round trip values for paths..." Col. 13 Ln. 1 – 31, "...a sequence of values representative of the round trip time to-and-from every client site..." Col. 15 Ln. 9 – 60, Col. 16 Ln. 1 – 21).

It would have been obvious to one of ordinary skill in the art the time the invention was made to modify the system of Brendel with the teaching of Joffe because the teaching of Joffe would improve the system of Brendel by providing a technique for dynamically selecting appropriate server from which to retrieve data object for a user based upon the user's request, and the capabilities and topology of the underlying network (Joffe Col. 3 Ln. 37 – 40).

17. As to claim 25, Brendel teaches a method according to claim 24, wherein the load balancer is closer to the client than to any of the plurality of servers hosting the virtual server ("...load balancer can be moved below the client's network stack..." Col. 4 Ln. 63 – 67, "...client-side dispatcher in the client machine..." Col. 5 Ln. 55 – 56, Col. 6 Ln. 34 – 36).

18. As to claims 26 and 27, see the rejection of claims 2 and 3 respectively.

19. As to claim 28, Brendel teaches a method according to claim 24, wherein the load balancer is not associated with the virtual server ("...load balancer can be moved below the client's network stack..." Col. 4 Ln. 63 – 67, "...client-side dispatcher in the client machine..." Col. 5 Ln. 55 – 56, Col. 6 Ln. 34 – 36).

20. As to claim 29, Brendel teaches a method according to claim 24, wherein the load balancer is under control of a system manager of the client ("...operating systems..." Col. 6 Ln. 4 – 16).

21. As to claim 32, Brendel teaches a method according to claim 24, wherein receiving the message comprises receiving a connection establishment request directed to the virtual server ("...Client-Side Load Balancer intercepts Connection packets..." Col. 4 Ln. 63 – 67, Col. 5 Ln. 1 – 20).

22. As to claim 33, Brendel teaches a method according to claim 24, wherein receiving the message comprises receiving a message directed to the load balancer ("...the browser sends out the URL with the requested resource...The client-load balancer can then extract the URL and make a server assignment..." Col. 5 Ln. 1 – 20).

23. As to claim 34, Joffe teaches a method according to claim 24, wherein selecting one of the servers comprises selecting a server which has a lowest cost path to the load balancer ("...shortest available network path..." Col. 3 Ln. 44 – 54).

24. As to claim 35, Brendel teaches a method according to claim 24, wherein selecting one of the servers comprises selecting a server which has a lowest delay path or a highest packet size path to the load balancer ("...(measure the round trip time, or "latency") to the intended servers and choose the fastest responding server..." Col. 11 Ln. 14 – 18).

25. As to claim 36, Brendel teaches a method according to claim 24, wherein the load balancer is geographically closer to the client than to the selected server ("...load balancer can be moved below the client's network stack..." Col. 4 Ln. 63 – 67, "...client-side dispatcher in the client machine..." Col. 5 Ln. 55 – 56, Col. 6 Ln. 34 – 36).

26. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,182,139 B1 to Brendel in view of U.S. Pat. No. 6,185,619 B1 issued to Joffe et al. as applied to claim 1 above, and further in view of U.S. Pat. No. 6,658,479 B1 issued to Zaumen et al.

27. As to claim 5, Joffe and Brendel are silent with reference to a method according to claim 1, wherein the one or more parameters comprise a cost of communication.

Zaumen teaches a method according to claim 1, wherein the one or more parameters comprise a cost of communication (figure 4 Step 408 Col. 9 Ln. 8 – 38).

It would have been obvious to one of ordinary skill in the art the time the invention was made to modify the system of Joffe and Brendel with the teaching of Zaumen because the teaching of Zaumen would improve the system of Joffe and Brendel by providing a technique for simultaneously minimizing congestion and balancing load on a plurality of servers (Zaumen Col. 1 Ln. 58 – 64, Col. 2 Ln. 30 – 34).

28. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,182,139 B1 to Brendel in view of U.S. Pat. No. 6,185,619 B1 issued to Joffe et al. as applied to claim 8 above, and further in view of U.S. Pat. No. 7,174,390 B2 issued to Schulter et al.

29. As to claim 10, Joffe teaches a method according to claim 8, wherein measuring at least one of the parameters for at least one of the paths (“...round trip values for paths...” Col. 13 Ln. 1 – 31, “...a sequence of values representative of the round trip time to-and-from every client site...” Col. 15 Ln. 9 – 60, Col. 16 Ln. 1 – 21).

Schulter teaches the measuring performed after receiving the connection establishment request (“...Any load balancing decisions that are made will only be made when a new connection is established between the client and a service...” Col. 17 Ln. 39 – 67).

It would have been obvious to one of ordinary skill in the art the time the invention was made to modify the system of Joffe and Brendel with the teaching of Schuler because the teaching of Schuler would improve the system of Joffe and Brendel by allowing for optimal use of system resources (e.g. connections) by only establishing connection when it is determined that the requested service is available.

30. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,182,139 B1 to Brendel in view of U.S. Pat. No. 6,185,619 B1 issued to Joffe et al. as applied to claim 1 above, and further in view of U.S. Pat. No. 6,389,462 B1 issued to Cohen et al.

31. As to claim 12, Joffe and Brendel are silent with reference to a method according to claim 1, further comprising changing the source IP address of packets received by the load balancer from the selected server.

Cohen teaches a method according to claim 1, further comprising changing the source IP address of packets received by the load balancer from the selected server (“...translates...” Col. 8 Ln. 35 – 52).

It would have been obvious to one of ordinary skill in the art the time the invention was made to modify the system of Joffe and Brendel with the teaching of Cohen because the teaching of Cohen would improve the system of Joffe and Brendel by providing a technique for re-writing destination address/source address or both,

making it appear to the server that all connections originate from the load balancer, thus hiding the distributed nature of the system from the servers.

32. Claims 13, 14, 30 and 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,182,139 B1 to Brendel in view of U.S. Pat. No. 6,185,619 B1 issued to Joffe et al. as applied to claims 1 and 24 above, and further in view of U.S. Pat. No. 6,304,913 B1 issued to Rune.

33. As to claim 13, Joffe and Brendel are silent with reference to a method according to claim 1, further comprising transmitting an IP address of the selected server to the client.

Rune teaches a method according to claim 1, further comprising transmitting an IP address of the selected server to the client (Steps 708/808 Col. 7 Ln. 7 – 45).

It would have been obvious to one of ordinary skill in the art the time the invention was made to modify the system of Joffe and Brendel with the teaching of Rune because the teaching of Rune would improve the system of Joffe and Brendel by providing a hierarchical naming system for computers, services, or any resource participating in the Internet for translating domain names meaningful to humans into the numerical (binary) identifiers associated with networking equipment for the purpose of locating and addressing devices world-wide.

34. As to claim 14, Rune teaches a method according to claim 13, wherein transmitting the IP address of the selected server to the client comprises transmitting a DNS response (Steps 708/808 Col. 7 Ln. 7 – 45).

35. As to claim 30, Joffe and Brendel are silent with reference to a method according to claim 24, wherein receiving the message comprises receiving a DNS query message.

Rune teaches a method according to claim 24, wherein receiving the message comprises receiving a DNS query message (Step 702/802 Col. 7 – 45).

It would have been obvious to one of ordinary skill in the art the time the invention was made to modify the system of Joffe and Brendel with the teaching of Rune because the teaching of Rune would improve the system of Joffe and Brendel by providing a hierarchical naming system for computers, services, or any resource participating in the Internet for translating domain names meaningful to humans into the numerical (binary) identifiers associated with networking equipment for the purpose of locating and addressing devices world-wide.

36. As to claim 31, Joffe and Brendel are silent with reference to a method according to claim 1, wherein receiving the message comprises receiving from a DNS server.

Rune teaches a method according to claim 24, wherein receiving the message comprises receiving from a DNS server (Steps 708/808 Col. 7 Ln. 7 – 45).

It would have been obvious to one of ordinary skill in the art the time the invention was made to modify the system of Joffe and Brendel with the teaching of

Rune because the teaching of Rune would improve the system of Joffe and Brendel by providing a hierarchical naming system for computers, services, or any resource participating in the Internet for translating domain names meaningful to humans into the numerical (binary) identifiers associated with networking equipment for the purpose of locating and addressing devices world-wide.

37. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,182,139 B1 to Brendel in view of U.S. Pat. No. 6,185,619 B1 issued to Joffe et al. as applied to claim 1 above, and further in view of U.S. Pat. No. 6,249,801 B1 issued to Zisapel et al.

38. As to claim 16, Joffe and Brendel are silent with reference to a method according to claim 1, wherein selecting a server to provide data for the client comprises selecting, by the load balancer, a second load balancer which is to perform the server selection and selecting, by the second load balancer, a server to provide data for the client.

Zisapel teaches a method according to claim 1, wherein selecting a server to provide data for the client comprises selecting, by the load balancer, a second load balancer which is to perform the server selection and selecting, by the second load balancer, a server to provide data for the client ("...first load balancer...second load balancer..." Col. 2 Ln. 20 – 39, Col. 6 Ln. 40 – 49).

It would have been obvious to one of ordinary skill in the art the time the invention was made to modify the system of Joffe and Brendel with the teaching of

Zisapel because the teaching of Zisapel would improve the system of Joffe and Brendel by optimal selecting servers to service client request using the load balancer closest the requesting client.

39. Claims 18-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,182,139 B1 to Brendel in view of U.S. Pat. No. 6,185,619 B1 issued to Joffe et al. as applied to claim 1 above, and further in view of U.S. Pat. No. 6,950,848 B1 issued to Yousefi'zadeh.

40. As to claim 18, Joffe and Brendel are silent with reference to a method according to claim 1, wherein selecting a server to provide data for the client comprises selecting a server which minimizes a function of the one or more parameters.

Yousefi'zadeh teaches a method according to claim 1, wherein selecting a server to provide data for the client comprises selecting a server which minimizes a function of the one or more parameters ("...(3) Least Number of Connections (LNC)..." Col. 5 Ln. 20 - 39, "...Weighting factors...adjusted to have...minimum..." Col. 8 Ln. 44 - 48).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Joffe and Brendel with the teaching of Yousefi'zadeh because the teaching of Yousefi'zadeh would improve the system of Joffe and Brendel by providing a load balancing module that monitors the state of multiple servers and selectively routes transactions to the servers to optimize performance and availability (Yousefi'zadeh Col. 5 Ln. 6 - 9).

41. As to claim 19, Yousefi'zadeh teaches a method according to claim 18, wherein selecting a server to provide data comprises choosing a function of the one or more parameters to be minimized and selecting a server which minimizes the chosen function ("...(3) Least Number of Connections (LNC)..." Col. 5 Ln. 20 - 39, "...Weighting factors...adjusted to have...mininimum..." Col. 8 Ln. 44 - 48).

42. As to claim 20, Yousefi'zadeh teaches method according to claim 19, wherein the function is chosen responsive to a protocol with which the virtual server is accessed ("...load balancing schemes..." Col. 5 Ln. 20 - 39, Col. 12 Ln. 63 - 67, Col. 13 Ln. 4 - 67).

43. As to claim 21, Yousefi'zadeh teaches method according to claim 19, wherein the function is chosen responsive to the virtual server accessed ("...load balancing scheme...(1) Round Robin; (2) Ratio;...(3) Least Number of Connections (LNC)...(4) Fastest Response Time (FRT)...(5) Observed..." Col. 5 Ln. 20 - 39, Col. 12 Ln. 63 - 67, Col. 13 Ln. 1 - 67).

44. Claims 22 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,182,139 B1 to Brendel in view of U.S. Pat. No. 6,185,619 B1 issued to Joffe et al. and further in view of U.S. Pat. No. 6,950,848 B1 issued to

Yousefi'zadeh as applied to claim 19 above, and further in view of U.S. Pat. No. 6,154,777 issued to Ebrahim.

45. As to claim 22, Yousefi'zadeh, Joffe and Brendel are silent with reference to a method according to claim 19, wherein the function is chosen responsive to an attribute of the client.

Ebrahim teaches a method according to claim 19, wherein the function is chosen responsive to an attribute of the client ("...information about the sender...specific requester's identity..." Abstract, "...domain name of the sender..." Col. 5 Ln. 18 – 38).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Yousefi'zadeh, Joffe and Brendel with the Ebrahim teaching of because the teaching of Ebrahim would improve the system of Yousefi'zadeh, Joffe and Brendel by providing a technique for tracking the client(s) initiating the request in order to select the most efficient server to service the request.

46. As to claim 23, Yousefi'zadeh, Joffe and Brendel are silent with reference to a method according to claim 19, wherein the function is chosen responsive to the time of the selection.

Ebrahim teaches a method according to claim 19, wherein the function is chosen responsive to the time of the selection ("...time of day..." Abstract, "...requester's time of day or time zone...Col. 5 Ln. 18 – 38).teaches a method according to claim 19, wherein the function is chosen responsive to an attribute of the client ("...information

about the sender...specific requester's identity..." Abstract, "...domain name of the sender..." Col. 5 Ln. 18 – 38).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Yousefi'zadeh, Joffe and Brendel with the Ebrahim teaching of because the teaching of Ebrahim would improve the system of Yousefi'zadeh, Joffe and Brendel by providing a technique for tracking the client(s) initiating the request in order to select the most efficient server to service the request.

47. Claims 37-40 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,182,139 B1 to Brendel in view of U.S. Pat. No. 6,658,479 B1 issued to Zaumen et al.

48. As to claim 37, Brendel teaches a method of selecting a server to be accessed, comprising:

receiving, by a load balancer, a message relating to a virtual server, hosted by a plurality of servers, and to a client desiring to receive data from the virtual server ("...the browser sends out the URL with the requested resource..." Col. 5 Ln. 1 – 20); and

selecting, by the load balancer, one of the plurality of servers to provide data to the client ("...make a server assignment..." Col. 5 Ln. 1 – 20, "... (measure the round trip time or "latency") to the intended servers and choose the fastest responding server..." Col. 11 Ln. 14 – 18), wherein the load balancer as comprising a client-controlled load balancer that directly selects said one of the plurality of servers representing the virtual

server based on one or more parameters (“...make a server assignment...” Col. 5 Ln. 1 – 20, “...(measure the round trip time or “latency”) to the intended servers and choose the fastest responding server...” Col. 11 Ln. 14 – 18).

Brendel is silent with reference to selecting, by the load balancer, one of the plurality of servers to provide data to the client, at least partially responsive to the cost of communications between the client and one or more of the plurality of servers.

Zaumen teaches selecting, by the load balancer, one of the plurality of servers to provide data to the client, at least partially responsive to the cost of communications between the client and one or more of the plurality of servers (figure 4 Step 408 Col. 9 Ln. 8 – 38).

It would have been obvious to one of ordinary skill in the art the time the invention was made to modify the system of Brendel with the teaching of Zaumen because the teaching of Zaumen would improve the system of Brendel by providing a technique for simultaneously minimizing congestion and balancing load on a plurality of servers (Zaumen Col. 1 Ln. 58 – 64, Col. 2 Ln. 30 – 34).

49. As to claim 38, Zaumen teaches a method according to claim 37, wherein selecting one of the servers comprises selecting a server under a constraint that a lowest cost client communication connection is used in connecting to the server (“...lowest link cost...” Col. 9 Ln. 23 – 30).

50. As to claim 39, Zaumen teaches a method according to claim 37, wherein selecting one of the servers comprises selecting a server which minimizes a weighted sum of communication costs to the server and at least one other route related parameter (“...lowest link cost...” Col. 9 Ln. 23 – 30, Col. 12 Ln. 1 – 25).

51. As to claim 40, Zaumen teaches a method according to claim 39, wherein selecting one of the sewers comprises selecting a server which minimizes a weighted sum of the communication costs to the server and the round trip delay to the server (“...minimum delay anycasting algorithm...” Col. 6 Ln. 10 – 26, Col. 12 Ln. 1 – 25).

52. Claims 41-45 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,182,139 B1 to Brendel in view of U.S. Pat. No. 6,154,777 issued to Ebrahim.

53. As to claim 41, Brendel teaches a load balancer, comprising:
an interface adapted to receive server access messages from clients TCP Layer
16 Col. 5 Ln. 55 – 67); and
a processor adapted to determine, for at least one of the messages, whether the message requires load balancing, and to select for at least one message determined to require load balancing, a server to service the client (“...make a server assignment...” Col. 5 Ln. 1 – 20, “...(measure the round trip time or “latency”) to the intended servers and choose the fastest responding server...” Col. 11 Ln. 14 – 18: NOTE: the client-side

load balancer in the Client 10 is by a processor), wherein the processor comprising a client-controlled processor that directly selects the server to service the client ("...load-balancer module in the client machine...make a server assignment..." Col. 5 Ln. 1 – 20, Ln. 55 – 56).

Brendel is silent with reference to determine, for at least one of the messages, whether the message requires load balancing responsive to at least one attribute different from the identity of the server referenced by the message and selects the server to service the client based on the at least one attribute.

Ebrahim teaching determining, for at least one of the messages, whether the message requires load balancing responsive to at least one attribute different from the identity of the server referenced by the message and selects the server to service the client based on the at least one attribute ("...information about the sender...specific requester's identity...time of day..." Abstract, "...domain name of the sender...requester's time of day or time zone..." Col. 5 Ln. 18 – 38).

It would have been obvious to one of ordinary skill in the art the time the invention was made to modify the system of Brendel with the teaching of Ebrahim because the teaching of Ebrahim would improve the system of Brendel by providing a technique for spreading work between two or more computers, network links, etc. at optimal time, in order to get optimal resource utilization, maximize throughput, and minimize response time.

54. As to claim 42, Ebrahim teaches a load balancer according to claim 41, wherein the at least one attribute comprises the time at which the message is received at the interface (“...time of day...” Abstract, “...requester’s time of day or time zone...” Col. 5 Ln. 18 – 38).

55. As to claim 43, Ebrahim teaches a load balancer according to claim 41, wherein the at least one attribute comprises the identity of the client (“...information about the sender...specific requester’s identity...” Abstract, “...domain name of the sender...” Col. 5 Ln. 18 – 38).

56. As to claim 44, Ebrahim teaches a load balancer according to claim 41, wherein the at least one attribute comprises a protocol to govern the communication with the server (“...information about the sender...specific requester’s identity...time of day...” Abstract, “...domain name of the sender...requester’s time of day or time zone...” Col. 5 Ln. 18 – 38).

57. As to claim 45, Brendel teaches a load balancer according to claim 41, further comprising a packet changing unit adapted to change the contents of at least one field of packets belonging to connections for which load balancing was performed (“...changes the virtual IP address of the server farm...” Col. 6 Ln. 25 – 27, Col. 11 Ln. 56 – 67).

58. Claim 46 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,182,139 B1 to Brendel in view of U.S. Pat. No. 6,154,777 issued to Ebrahim as applied to claim 45 above, and further in view of U.S. Pat. No. 6,389,462 B1 issued to Cohen et al.

59. As to claim 46, Ebrahim and Brendel are silent with reference to load balancer according to claim 45, wherein the packet changing unit is adapted to change packets in accordance with half NAT or full NAT procedures.

Cohen teaches load balancer according to claim 45, wherein the packet changing unit is adapted to change packets in accordance with half NAT or full NAT procedures ("...NAT..." Col. 8 Ln. 53 – 58, Col. 14 Ln. 21 – 45, Col. 15 Ln. 9 – 37).

It would have been obvious to one of ordinary skill in the art the time the invention was made to modify the system of Ebrahim and Brendel with the teaching of Cohen because the teaching of Cohen would improve the system of Ebrahim and Brendel by providing a technique for re-writing destination address/source address or both, making it appear to the server that all connections are origination from the load balancer, thus hiding the distributed nature of the system from the servers.

60. Claims 47, 50 and 51 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,182,139 B1 to Brendel in view of U.S. Pat. No. 6,950,848 B1 issued to Yousefi'zadeh.

61. As to claim 47, Brendel teaches a method of selecting a server to be accessed, comprising:

receiving, by a load balancer, a message relating to a virtual server, hosted by a plurality of servers, and to a client desiring to receive data from the virtual server ("...the browser sends out the URL with the requested resource..." Col. 5 Ln. 1 – 20); and

selecting, by the load balancer, one of the plurality of servers to provide data to the client ("...make a server assignment..." Col. 5 Ln. 1 – 20, "... (measure the round trip time or "latency") to the intended servers and choose the fastest responding server..." Col. 11 Ln. 14 – 18) and wherein the load balancer comprising a client-controlled load balancer that directly selects said one of the plurality of servers representing the virtual server ("...load balancer can be moved below the client's network stack..." Col. 4 Ln. 63 – 67, "...client-side dispatcher in the client machine..." Col. 5 Ln. 55 – 56, Col. 6 Ln. 34 – 36).

Brendel is silent with reference to choosing a function from a plurality of predetermined functions, selecting, by the load balancer, one of the plurality of servers that minimizes or maximizes the chosen function, to provide data to the client and wherein the load balancer selects one of the plurality of servers that minimizes or maximizes the chosen function.

Yousefi'zadeh teaches choosing a function from a plurality of predetermined functions ("...load balancing scheme...(1) Round Robin; (2) Ratio;...(3) Least Number of Connections (LNC)...(4) Fastest Response Time (FRT)...(5) Observed..." Col. 5 Ln. 20 – 39, Col. 12 Ln. 63 – 67, Col. 13 Ln. 1 – 67), selecting, by the load balancer, one of the

plurality of servers that minimizes or maximizes the chosen function, to provide data to the client and wherein the load balancer selects one of the plurality of servers that minimizes or maximizes the chosen function ("...(3) Least Number of Connections (LNC)...(4) Fastest Response Time (FRT)..." Col. 5 Ln. 20 – 39).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Brendel with the teaching of Yousefi'zadeh because the teaching of Yousefi'zadeh would improve the system of Brendel by providing a load balancing module that monitors the state of multiple servers and selectively routes transactions to the servers to optimize performance and availability (Yousefi'zadeh Col. 5 Ln. 6 – 9).

62. As to claim 50, Yousefi'zadeh teaches a method according to claim 47, wherein at least two of the predetermined functions depend on different groups of one or more parameters ("...load balancing scheme...(1) Round Robin; (2) Ratio...(3) Least Number of Connections (LNC)...(4) Fastest Response Time (FRT)...(5) Observed..." Col. 5 Ln. 20 – 39, Col. 12 Ln. 63 – 67, Col. 13 Ln. 1 – 67).

63. As to claim 51, Yousefi'zadeh teaches a method according to claim 47, wherein at least two of the predetermined functions depend on the same parameters but give different weight to one or more of the parameters on which they depend ("...(5) Observed..." Col. 5 Ln. 20 – 39, Col. 14 Ln. 58 – 67, Col. 15 Ln. 1 – 3).

64. Claims 48 and 49 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,182,139 B1 to Brendel in view of U.S. Pat. No. 6,950,848 B1 issued to Yousefi'zadeh as applied to claim 47 above, and further in view of U.S. Pat. No. 6,154,777 issued to Ebrahim.

65. As to claim 48, Brendel and Yousefi'zadeh are silent with reference to a method according to claim 47, wherein choosing the function comprises choosing responsive to an identity of the client.

Ebrahim teaches a method according to claim 47, wherein choosing the function comprises choosing responsive to an identity of the client ("...information about the sender...specific requester's identity..." Abstract, "...domain name of the sender..." Col. 5 Ln. 18 – 38).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Yousefi'zadeh and Brendel with the Ebrahim teaching of because the teaching of Ebrahim would improve the system of Yousefi'zadeh and Brendel by providing a technique for tracking the client(s) initiating the request in order to select the most efficient server to service the request.

66. As to claim 49, Brendel and Yousefi'zadeh are silent with reference to a method according to claim 47, wherein choosing the function comprises choosing responsive to a time at which the message is received.

Ebrahim teaches method according to claim 47, wherein choosing the function comprises choosing responsive to a time at which the message is received (“...time of day...” Abstract, “...requester’s time of day or time zone...” Col. 5 Ln. 18 – 38).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Yousefi’zadeh and Brendel with the Ebrahim teaching of because the teaching of Ebrahim would improve the system of Yousefi’zadeh and Brendel by providing a technique for tracking the client(s) initiating the request in order to select the most efficient server to service the request.

67. Claim 52 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,078,960 to Ballard in view of U.S. Pat. No. 6,185,619 B1 issued to Joffe et al.

68. As to claim 52, Ballard teaches a method of selecting a server to be accessed by a client via a wide area network (WAN) from among a plurality of servers associated with a domain name comprising (figures 1/2 Col. 3 Ln. 31 – 67, Col. 4 Ln. 1 – 51):

providing a client-controlled load balancer in a local area network (LAN) connected to the WAN (“...load balancing...” Col. 3 Ln. 31 – 37), the LAN including the client;

receiving at the load balancer a list of addresses of servers hosting the domain name (“...reads the load balance list 54...” Col. 6 Ln. 31 – 48); and

selecting by the client-controlled load balancer one of the addresses of the plurality of servers (figure 6 Step 52 Col. 6 Ln. 31 – 48).

Ballard is silent with reference to selecting by the load balancer one of the addresses of the plurality of servers based on a parameter related to a path between a point in the vicinity of the client and one of the plurality of servers.

Joffe teaches selecting by the load balancer one of the addresses of the plurality of servers based on a parameter related to a path between a point in the vicinity of the client and one of the plurality of servers (“...round trip values for paths...” Col. 13 Ln. 1 – 31, “...a sequence of values representative of the round trip time to-and-from every client site...” Col. 15 Ln. 9 – 60, Col. 16 Ln. 1 – 21).

It would have been obvious to one of ordinary skill in the art the time the invention was made to modify the system of Ballard with the teaching of Joffe because the teaching of Joffe would improve the system of Ballard by providing a technique for dynamically selecting appropriate server from which to retrieve data object for a user based upon the user's request, and the capabilities and topology of the underlying network (Joffe Col. 3 Ln. 37 – 40).

69. Claim 53 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,078,960 to Ballard in view of U.S. Pat. No. 6,185,619 B1 issued to Joffe et al. as applied to claim 52 above, and further in view of U.S. Pat. No. 6,154,777 issued to Ebrahim.

70. As to claim 53, Ballard and Joffe are silent with reference to the method of claim 52 wherein the parameter is time-variable.

Ebrahim teaches the method of claim 52 wherein the parameter is time-variable (“...time of day...” Abstract, “...time of day or time zone...” Col. 5 Ln. 18 – 38).

It would have been obvious to one of ordinary skill in the art the time the invention was made to modify the system of Joffe and Ballard with the teaching of Ebrahim because the teaching of Ebrahim would improve the system of Joffe and Ballard by providing a technique for spreading work between two or more computers, network links, etc. at optimal time, in order to get optimal resource utilization, maximize throughput, and minimize response time.

71. Claim 54 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,078,960 to Ballard in view of U.S. Pat. No. 6,185,619 B1 issued to Joffe et al. as applied to claim 52 above, and further in view of U.S. Pat. No. 7,043,563 B2 issued to Vange et al.

72. As to claim 54, Ballard and Joffe are silent with reference to the method of claim 52, wherein the parameter comprises a measure of communication quality.

Vange teaches the method of claim 52, wherein the parameter comprises a measure of communication quality (“...The best available front-end server 201 is determined based on estimates and actual measurements of quality of service...” Col. 11 Ln. 22 – 45, Col. 20 Ln. 22 – 29).

It would have been obvious to one of ordinary skill in the art the time the invention was made to modify the system of Joffe and Ballard with the teaching of Vange because the teaching of Vange would improve the system of Joffe and Ballard by providing a technique for enabling redirection of client request to any of an arbitrary set of server computers that guarantees a certain level of performance to a data flows.

Response to Arguments

Applicant's arguments with respect to claims 1-54 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to CHARLES E. ANYA whose telephone number is (571)272-3757. The examiner can normally be reached on 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hyung Sough can be reached on 571-272-6799. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Hyung S. SOUGH/
Supervisory Patent Examiner, Art Unit 2194
07/06/09

cea.